

ADINA Industries Co. Ltd.

浙江阿迪娜工业科技有限公司
Zhejiang Adina Industries Technology Co.
Ltd.

Address

RM 802, Building D,
Shangduan Tower
Yucheng Street, Yuhuan City
Zhejiang Province, China.

Telephone Number

+86 177 8729 9186
+86 138 6762 7459

Bangladesh Office

House-138 (5th Floor), Road-01,
Baridhara DOHS, Dhaka-1206, Bangladesh

Email Address

info@adinaindustries.com
asifbeg@adinaindustries.com
eric@adinaindustries.com

CV JOINT

PROFESSIONAL PRODUCTION OF AUTOMOTIVE CHASSIS PARTS



ONE-STOP PROFESSIONAL
AUTO PARTS
AUTO WEARING PARTS PROVIDER
BRAND/EXCELLENCE/CONCENTRATION/PILOT/FUTURE

ADINA Industries Co. Ltd.
Zhejiang Adina Industries Technology Co. Ltd.



ONE-STOP PROFESSIONAL
AUTO PARTS
 AUTO WEARING PARTS PROVIDER

COMPANY INTRODUCTION

PROFESSIONAL
 AUTO PARTS INDUSTRY LEADER

SINPO AUTO PARTS CO., LTD. IS A COMPANY INTEGRATING MANUFACTURING AND TRADE. 15 YEARS EXPERIENCE IN AUTO PARTS PRODUCTION AND SALES, STRICT QUALITY MANAGEMENT ABILITY, PROFESSIONAL PROCUREMENT INTEGRATION ABILITY, STRONG AFTER-SALES TECHNICAL SERVICE. PRODUCTS INCLUDE SUSPENSION SYSTEM, BRAKE SYSTEM, ENGINE SYSTEM, IGNITION SYSTEM, STEERING SYSTEM, AND SO ON.

SINPO RESISTS ON BUILDING CHINESE TOP1 BRAND IN AUTO PARTS AREA.

PASSION BURNS AND SETS OFF AGAIN

SINPO AUTO PARTS CO., LTD WAS ESTABLISHED IN 2004. OUR HEADQUATER IS IN HANGZHOU CITY, ZHEJIANG PROVINCE. SINPO RESISTS ON BUILDING CHINESE TOP1 BRAND IN AUTO PARTS AREA.

AFTER 15 YEARS STRENUOUS DEVELOPMENT, SINPO HAS BECOME CHINESE TOP MANUFACTURER FOR AUTO PARTS WITH ANNUAL OUTPUT REACHING MORE THAN 30,000,000RMB. SINPO OWNS HER OWN BRAND IN AUTO PARTS AREA. ALSO, SINPO HAS BECOME A BIG FAMILY FOR FRIENDS FROM ALL OVER THE WORLD!

PRODUCT

PROFESSIONAL
AUTO PARTS INDUSTRY LEADER



CONTENTS/目录

TO PROVIDE YOU WITH THE MOST PROFESSIONAL
AUTO WEARING PARTS SERVICE

01 EUROPEAN — 07-15

02 GERMAN — 16-30

03 AMERICAN — 31-33

04 JAPANESE — 34-47

01

CV JOINT

ONE-STOP PROFESSIONAL
AUTO WEARING PARTS PROVIDER

CONSTANT-VELOCITY JOINTS (ALSO KNOWN AS HOMOKINETIC OR CV JOINTS) ALLOW A DRIVE SHAFT TO TRANSMIT POWER THROUGH A VARIABLE ANGLE, AT CONSTANT ROTATIONAL SPEED, WITHOUT AN APPRECIABLE INCREASE IN FRICTION OR WEAR.

THEY ARE MAINLY USED IN FRONT WHEEL DRIVE VEHICLES. MANY MODERN REAR WHEEL DRIVE CARS WITH INDEPENDENT REAR SUSPENSION TYPICALLY USE CV JOINTS AT THE ENDS OF THE REAR AXLE HALF-SHAFTS AND INCREASINGLY USE THEM ON THE DRIVE SHAFTS.



品质汽配

DRIVE SHAFT

ONE-STOP PROFESSIONAL
AUTO WEARING PARTS PROVIDER

HALF SHAFT, ALSO KNOWN AS DRIVE SHAFT, IT IS THE SHAFT OF VARIABLE BOX REDUCER AND DRIVING WHEEL TRANSMITS TORQUE.

ITS INTERNAL AND EXTERNAL ENDS HAVE A UNIVERSAL JOINT (U-JOINT), WHICH IS CONNECTED WITH THE REDUCER GEAR AND HUB BEARING INNER RING RESPECTIVELY THROUGH THE SPLINE ON THE UNIVERSAL JOINT. IT IS USUALLY SOLID, BUT IT IS EASIER TO CONTROL THE IMBALANCE WITH A HOLLOW SHAFT.



SINPO AUTO

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE090001	95606803 327360 95646292	CITROEN	169 (XM7T)	Fitting Position: Wheel Side Outer teething wheel side: 28 Int. teeth. wheel side: 27
CVE090002	1495537080	CITROEN	T9A (DJ5)	Int. teeth. wheel side: 39 Seal diam.: 63 mm Length: 175.5 mm Specification:
CVE090003	9566722380	CITROEN	THZ (DJ5T)	Outer teething wheel side: 35 Int. teeth. wheel side: 45 Numb.of teeth,ABS ring: 54
CVE090004	327378 3273N2	CITROEN	RHY (DW10TD)	Outer teething wheel side: 25 Int. teeth. wheel side: 34 Seal diam.: 54.8 mm
CVE090005	95653010	CITROEN	P9A (XUD11A)	Numb.of teeth,ABS ring: 48 Outer teething wheel side: 28 Int. teeth. wheel side: 23
CVE090006	96 141 637	CITROEN	LFZ (XU7JP)	Fitting Position: Wheel Side Outer teething wheel side: 25 Int. teeth. wheel side: 34
CVE090007	3273A6 95653009 3273T6	CITROEN	SKZ (ZPJ4/Z),UKZ (ZPJ4/Z)	Numb.of teeth,ABS ring: 48 Outer teething wheel side: 28 Int. teeth. wheel side: 27
CVE090008	32733Q 9626084088 3272GY	CITROEN	D8B (XUD9TF)	Fitting Position: Wheel Side Numb.of teeth,ABS ring: 48 Outer teething wheel side: 27
CVE090009	9567582280 1496138080 1495545080	CITROEN /PEUGEOT	D9B (XUD9AU)	Numb.of teeth,ABS ring: 54 Outer teething wheel side: 35 Int. teeth. wheel side: 45

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE090010	9626084088 1481452080 9617408288 9617408188	CITROEN/FIAT	D8B (XUD9TF)	Fitting Position: Wheel Side Numb.of teeth,ABS ring: 48 Outer teething wheel side: 27
CVE090011	1690.02 4246.R3	CITROEN	D8C (XUD9UTF)	Fitting Position: Wheel Side Outer teething wheel side: 28 Int. teeth. wheel side: 39
CVE090012	95646292 95606803 96184033 95646292	CITROEN	170A (XN1T),170B (XN1T)	Outer teething wheel side: 28 Int. teeth. wheel side: 27 Seal diam.: 63 mm
CVE090013	3272FP 3272Z7	CITROEN	A9A (XUD7)	Wheel Side External Teeth : 25 Internal Teeth : 34 Seal Diameter : 58.4 mm
CVE090014	95606803 95646292	CITROEN	170C (XN1T)	Wheel Side External Teeth : 28 Internal Teeth : 27 Seal Diameter : 63 mm
CVE090015	1495541080	CITROEN	DJY (XUD9A)	Wheel Side External Teeth : 28 Internal Teeth : 39 Seal Diameter : 63 mm
CVE090016	327378 3273N2	CITROEN	RFX (XU10J2C)	Wheel Side External Teeth : 25 Internal Teeth : 23 Seal Diameter : 55 mm
CVE090017	96141637	CITROEN	DJZ (XUD9Y)	Wheel Side External Teeth : 25 Internal Teeth : 34 Seal Diameter : 55.8 mm
CVE090018	327209 327212	CITROEN	BFZ (XU5JP)	Wheel Side External Teeth : 25 Internal Teeth : 23 Seal Diameter : 55.8 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE090019	3273A6 95653009	CITROEN	SKZ (ZPJ4/Z),UKZ (ZPJ4/Z)	Wheel Side External Teeth : 28 Internal Teeth : 27 Seal Diameter : 58 mm
CVE090020	9626084088 3273GQ	CITROEN	D8B (XUD9TF),DHX (XUD9TF/BTF)	External Teeth : 27 Internal Teeth : 39 Seal Diameter : 59 mm Outer Diameter : 99.2 mm
CVE090021	9567582280 1496138080	CITROEN	D9B (XUD9A/U)	Wheel Side External Teeth : 35 Internal Teeth : 45 Seal Diameter : 70 mm
CVE100001	82 00 452 273 82 00 776 535 82 00 776 537	RENAULT	F4R 820, M9R 692,M9R 780,M9R 782,M9R 786, G9U 630,	Wheel Side External Teeth : 27 Internal Teeth : 36 Seal Diameter : 56.5mm
CVE100002	7701352415	RENAULT	E7J 624,K7M 702,K7M 703,K7M 790, F8Q 620,F8Q 624	Wheel Side External Teeth : 21 Internal Teeth : 22 Seal Diameter : 51.5mm
CVE100003	8200035673	RENAULT	K4M 710,K4M 714,F4P 770,F4P 773,F4R 712,F4R 713,F4R 714,F4R	Wheel Side External Teeth : 27 Internal Teeth : 32 Seal Diameter : 56.5mm
CVE100004	391000153R 391015451R 6001550794 8200261838	RENAULT	K4M 800 , K4J 732 ,K9K 729 , K4M 760	Wheel Side External Teeth : 23 Internal Teeth : 30 Outer Diameter :145mm
CVE100005	77001-11918 82000-64731	NISSAN/RENAULT	D4F 712 , K9K 710 ,K9K 722 , K9K 704 ,K9K 276 ,D4F 712 ,K9K 714 , F9Q 732	Wheel Side External Teeth : 23 Internal Teeth : 30
CVE100006	7701349689 7701349034 7701349839	RENAULT	J7R 720,J7R 721	Wheel Side External Teeth : 23 Internal Teeth : 25 Seal Diameter : 56 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE100007	7701348109 7701498955	RENAULT	140	Wheel Side External Teeth : 23 Internal Teeth : 25 Seal Diameter : 56.3 mm
CVE100008	7701349874 7701351479 7701351572	RENAULT	F3N 740,F3N 741	Wheel Side External Teeth : 21 Internal Teeth : 25 Seal Diameter : 56.3 mm
CVE100009	7701352471	RENAULT	K7M 702,K7M 703,K7M 790	Wheel Side External Teeth : 21 Internal Teeth : 22 Seal Diameter : 51.2 mm
CVE100010	7701349955 7701352001	RENAULT	F3R 611	Wheel Side External Teeth : 23 Internal Teeth : 25 Seal Diameter : 56 mm
CVE100011	7701349992	RENAULT	Z7X 760,Z7X 765	Wheel Side External Teeth : 23 Internal Teeth : 29 Seal Diameter : 57.5 mm
CVE100012	77 01 351 948	RENAULT	F3R 722,F3R 768	Wheel Side External Teeth : 23 Internal Teeth : 25 Seal Diameter : 56 mm
CVE100013	360113KTX	RENAULT	E7J 728	Wheel Side External Teeth : 21 Internal Teeth : 30 Seal Diameter : 46.3 mm
CVE100014	7700102998 7700102999	RENAULT	S8U 770	Wheel Side External Teeth : 28 Internal Teeth : 27 Seal Diameter : 67 mm
CVE100015	77 00 110 484	RENAULT	D7F 722	Wheel Side External Teeth : 21 Internal Teeth : 30 Seal Diameter : 52.2 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE100016	7701349994	RENAULT	F3P 670,F3P 678	Wheel Side External Teeth : 23 Internal Teeth : 25 Seal Diameter : 56 mm
CVE100017	8200178618 8200169285	RENAULT	G9U 650,G9U 754	Wheel Side External Teeth : 28 Internal Teeth : 36 Seal Diameter : 65 mm
CVE100018	8200358163 391000153R 8200408418	RENAULT	K4M 760,K4M 761	Wheel Side External Teeth : 23 Internal Teeth : 30 Seal Diameter : 49 mm
CVE100019	82 00 661 507 82 00 557 125	RENAULT	D4F 786	Wheel Side External Teeth : 23 Internal Teeth : 29 Seal Diameter : 49 mm
CVE100020	7701352907 7700108465	RENAULT	N7Q 710,N7Q 711	Wheel Side External Teeth : 23 Internal Teeth : 27 Seal Diameter : 64 mm
CVE100021	8200334338 8200485589	RENAULT	F9Q 762	Wheel Side External Teeth : 27 Internal Teeth : 26 Seal Diameter : 56.5 mm
CVE100022	7700111918 8200236110	RENAULT	F9Q 732,F9Q 733,F9Q 738	Wheel Side External Teeth : 23 Internal Teeth : 30 Seal Diameter : 57.5 mm
CVE110001	327375	PEUGEOT	DJZ (XUD9Y)	Wheel Side External Teeth : 25 Internal Teeth : 31 Seal Diameter : 55 mm
CVE110002	32724C	PEUGEOT	HFX (TU1JP),HFZ (TU1JP)	Wheel Side External Teeth : 21 Internal Teeth : 22 Seal Diameter : 50 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE120001	93173409 71740557	FIAT /OPEL /VAUXHALL	194 A1.000, Z 18 XE,Y 20 DTH,Z 22 YH, Z 22 SE	Wheel Side External Teeth : 30 Internal Teeth : 25 Seal Diameter : 53mm
CVE120002	7703689 4393155 7698632 82448780	FIAT	138 B3.048,138 C2.048,138 C3.048,149 C1.000	Outer teething wheel side: 22 Int. teeth. wheel side: 25 Material: Elastomer
CVE120003	7659169	FIAT	176 B9.000	Fitting Position: Wheel Side Outer teething wheel side: 22 Int. teeth. wheel side: 20
CVE120004	7750299 7656944	FIAT	160 A6.000,160 D1.000	Outer teething wheel side: 25 Int. teeth. wheel side: 25 Seal diam.: 52 mm
CVE120005	7720510	FIAT	1170 A1.000,1170 A1.046	Outer teething wheel side: 22 Int. teeth. wheel side: 20 Material: Elastomer
CVE120006	46307047 71720788 7758266	FIAT	146 B2.000,/ 146 A5.000,146 C6.000,146 D6.000, 178 A1.000,176	Wheel Side External Teeth : 22 Internal Teeth : 20 Seal Diameter : 52mm
CVE120007	82413699	FIAT /LANCIA	8144.97,8144.97 Y,8144.97.2400	Numb.of teeth,ABS ring: 90 Outer teething wheel side: 25 Int. teeth. wheel side: 25
CVE120008	82480859	FIAT	834 C.146	Numb.of teeth,ABS ring: 90 Outer teething wheel side: 25 Int. teeth. wheel side: 25
CVE120009	82362524 82362521 5929240 82428432	FIAT /LANCIA	154 A1.000,154 C5.000 828 B1.000	Outer teething wheel side: 25 Int. teeth. wheel side: 25 Seal diam.: 54.5 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE120010	46307080 7659161	FIAT	159 B9.000	Numb.of teeth,ABS ring: 44 Outer teething wheel side: 22 Int. teeth. wheel side: 20
CVE120011		FIAT /LANCIA	834 B.146	Outer teething wheel side: 27 Int. teeth. wheel side: 25 Seal diam.: 56 mm
CVE120012	60813079	FIAT /LANCIA	182 A4.000	Outer teething wheel side: 25 Int. teeth. wheel side: 22 Seal diam.: 52 mm
CVE120013	60812755 46307182	FIAT	182 A1.000	Numb.of teeth,ABS ring: 44 Outer teething wheel side: 25 Int. teeth. wheel side: 25
CVE120014	46307094	FIAT /LANCIA	182 A4.000	Outer teething wheel side: 22 Int. teeth. wheel side: 22 Seal diam.: 46.8 mm
CVE120015	46307107	FIAT /LANCIA	835 C1.000	Numb.of teeth,ABS ring: 44 Outer teething wheel side: 22 Int. teeth. wheel side: 22
CVE120016	46307122	FIAT	146 D7.000	Outer teething wheel side: 22 Int. teeth. wheel side: 22 Seal diam.: 52 mm
CVE120017	46307047 7079221 7758266	FIAT	146 B2.000	Outer teething wheel side: 22 Int. teeth. wheel side: 20 Seal diam.: 52 mm
CVE120018	46307557	FIAT /LANCIA	843 A 1.000	Outer teething wheel side: 22 Int. teeth. wheel side: 21 Seal diam.: 51 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE120019	60815368	FIAT /LANCIA	185 A3.000,186 A4.000	Outer teething wheel side: 25 Int. teeth. wheel side: 22 Seal diam.: 51 mm
CVE120020	77365996 95518268 93190193	FIAT	199 A6.000	Fitting Position: Wheel Side Outer teething wheel side: 22 Int. teeth. wheel side: 21
CVE130001	TDJ 100470	LAND ROVER	204D3,M 47	Wheel Side External Teeth : 28 Internal Teeth : 32 Seal Diameter : 56 mm
CVE130002	TDJ500040	LAND ROVER	276DT	Wheel Side External Teeth : 29 Internal Teeth : 27 Seal Diameter : 74 mm
CVE130003	TDJ500030	LAND ROVER	306DT	Wheel Side External Teeth : 29 Internal Teeth : 26 Seal Diameter : 74 mm
CVE130004	TDJ000010	LAND ROVER	11 L,16 L,23 L	Wheel Side External Teeth : 24 Internal Teeth : 32 Seal Diameter : 32 mm
CVE130005	RTC6862	LAND ROVER	19 J	Wheel Side External Teeth : 24 Internal Teeth : 32 Seal Diameter : 44.5 mm
CVE130006	AEU2522	LAND ROVER	22 D	Wheel Side External Teeth : 24 Internal Teeth : 23 Seal Diameter : 44.3 mm
CVE130007	STC3046	LAND ROVER	35 D,36 D	Wheel Side External Teeth : 24 Internal Teeth : 32 Seal Diameter : 35 mm



EUROPEAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVE130008	TDJ000060	LAND ROVER	25 K4F	Wheel Side External Teeth : 28 Internal Teeth : 21 Seal Diameter : 57.7 mm
CVE400001	46307685	ALFA	192 A5.000	Outer teething wheel side: 25 Int. teeth. wheel side: 28 Seal diam.: 51 mm
CVE400002	60812753 46307171	ALFA /FIAT	AR 38201,AR 67601 182 A7.000	Fitting Position: Wheel Side Outer teething wheel side: 25 Int. teeth. wheel side: 25
CVE400003	60811033 7750300 7652958 7656949	ALFA /FIAT	AR 67101 836 A3.000	Numb.of teeth,ABS ring: 44 Outer teething wheel side: 25 Int. teeth. wheel side: 25
CVE400004	60815370 0060515370 0060815227 46307398	ALFA/FIAT	182 A2.000	Outer teething wheel side: 25 Int. teeth. wheel side: 25 Seal diam.: 51 mm
CVE400005	60815021	ALFA/FIAT	AR 37101 185 A6.000,839 A5.000	Outer teething wheel side: 25 Int. teeth. wheel side: 28 Seal diam.: 59 mm
CVE400006	46307301 46307901 7081591	ALFA/LANCIA	182 B7.000	Outer teething wheel side: 25 Int. teeth. wheel side: 25 Seal diam.: 58.8 mm
CVE400007	164001704701 7698900 7656945 7700010	ALFA /FIAT	AR 33401 182 B7.000	Outer teething wheel side: 25 Int. teeth. wheel side: 25 Seal diam.: 52 mm
CVE400008	60541802	ALFA /FIAT	AR 67203 175 A1.000	Numb.of teeth,ABS ring: 44 Outer teething wheel side: 25 Int. teeth. wheel side: 28



GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG010001	A000 330 00 36	MERCEDES-BENZ	OM 601.970	Wheel Side External Teeth : 27 Internal Teeth : 27 Seal Diameter : 60 mm
CVG010002	1683601972 1683603172	MERCEDES-BENZ	OM 668.940	Wheel Side External Teeth : 24 Internal Teeth : 27 Seal Diameter : 57 mm
CVG010003	A 168 370 22 72	MERCEDES-BENZ	M 166.960	External Teeth : 24 Internal Teeth : 27 Seal Diameter : 57 mm Outer Diameter : 78.4 mm
CVG010004	A638 334 05 34	MERCEDES-BENZ	OM 611LA (75 KW CDI)	Wheel Side External Teeth : 27 Internal Teeth : 27 Seal Diameter : 60 mm
CVG010005	1693602972 1693604372 1693608372	MERCEDES-BENZ	M 266.960	Wheel Side External Teeth : 25 Internal Teeth : 25 Seal Diameter : 60.2 mm
CVG010006	391002S660	MERCEDES-BENZ	M 271.940	Wheel Side External Teeth : 28 Internal Teeth : 25 Seal Diameter : 50 mm
CVG010007	A1633300501	MERCEDES-BENZ	M 112.942	Wheel Side External Teeth : 30 Internal Teeth : 26 Seal Diameter : 79 mm
CVG010008	000 330 00 36	MERCEDES-BENZ	M 111.948,M 111.950	Fitting Position: Wheel Side Outer teething wheel side: 27 Int. teeth. wheel side: 27
CVG010009	168 360 33 72	MERCEDES-BENZ	M 166.940 OM 668.941	Fitting Position: Wheel Side Outer teething wheel side: 24 Int. teeth. wheel side: 27

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG010010	A1683603172 A1693603372 1683701572	MERCEDES-BENZ	OM 668.940	fitting Position: Wheel Side Outer teething wheel side: 24 Int. teeth. wheel side: 27
CVG010011	A6383340534	MERCEDES-BENZ	OM 611A (60 KW CDI) OM 601.942	Fitting Position: Wheel Side Outer teething wheel side: 27 Int. teeth. wheel side: 27
CVG010012	A4633301801 A4633301901 A4603302401	MERCEDES-BENZ	M 115.973 OM 616.936	Outer teething wheel side: 27 Int. teeth. wheel side: 28 Seal diam.: 58 mm
CVG010013	169 360 43 72 169 360 15 72	MERCEDES-BENZ	M 266.920 OM 640.941	Fitting Position: Wheel Side Outer teething wheel side: 25 Int. teeth. wheel side: 25
CVG010014	A1633300501	MERCEDES-BENZ	M 111.977,OM 628.963	Outer teething wheel side: 30 Int. teeth. wheel side: 26 Seal diam.: 79.1 mm
CVG020001	31607505006 31607505005	BMW	N62 B44,N62 B44 A	Wheel Side External Teeth : 30 Internal Teeth : 27 Seal Diameter : 65 mm
CVG020002	31607529202 31603450566	BMW	M54 B30 (306S3)	Wheel Side External Teeth : 30 Internal Teeth : 33 Seal Diameter : 65 mm
CVG020003	31607503538	BMW	M62 B44 (448S2)	Wheel Side External Teeth : 30 Internal Teeth : 27 Seal Diameter : 65 mm
CVG020004	31 60 7 561 341 31 60 7 561 342 31 60 7 505 005	BMW	M57 D30 (306D1) M62 B46 (468S1)	Fitting Position: Wheel Side Outer teething wheel side: 30 Int. teeth. wheel side: 27

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG020005	31 60 3 450 566 31 60 3 450 565 31 60 7 529 202	BMW	M47 D20 (204D4) M57 D30 (306D3)	Fitting Position: Wheel Side Outer teething wheel side: 30 Int. teeth. wheel side: 33
CVG030001	1H0498099 191407311L 191407311J 191498099A	VW	1Z,AHU,ALH AHU,ALE,ALH KR EW,HN	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 22
CVG030002	871498099 871 498 099 X 871 498 099 A 871 498 099 S1	VW	GK,HA AAK,AAU,ACM	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 20
CVG030003	701498099 701407321B 701498099V 701498099X	VW	AAF,ACU,AEN,AEU	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 38
CVG030004	701498099A	VW	AAF,ACU,AEN,AEU	Numb.of teeth,ABS ring: 48 Outer teething wheel side: 38 Int. teeth. wheel side: 33
CVG030005	171 498 099	VW	FA,GG,EM,FN,FP	Outer teething wheel side: 22 Int. teeth. wheel side: 30 Material: Elastomer
CVG030006	191498099FV 191498340X JZW498340X 171498099A	VW	ABD,AEX,APQ,RF	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 22
CVG030007	871498099A 871498099	VW	AAK,AAU,ACM	Outer teething wheel side: 20 Int. teeth. wheel side: 30 Seal diam.: 45.5 mm
CVG030008	MKP00135 95644434 871 498 099 S1	VW	HB MN	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 20

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG030009	701 407 321G 7D0 498 099 701 498 099CX	VW	AAF,ACU,AEN,AEU	Numb.of teeth,ABS ring: 48 Outer teething wheel side: 38 Int. teeth. wheel side: 27
CVG030010	701498099BX	VW	AET,APL,AVT	Outer teething wheel side: 38 Int. teeth. wheel side: 27 Seal diam.: 60.2 mm
CVG030011	1 084 716 1 690 336 95VW-3K187-BA JZW 498 340 FX	VW / FORD / SEAT	AJH,AWC,1Z,AHU,A NU	Fitting Position: Wheel Side Outer teething wheel side: 38 Int. teeth. wheel side: 27
CVG030012	95VW-3K187-BB 7M0 498 099 A 7M0 498 099 AX	VW /SEAT/FORD	1Z,AHU,ANU	Fitting Position: Wheel Side Outer teething wheel side: 38 Int. teeth. wheel side: 36
CVG030013	7H0 407 321 7H0 407 321 D 7H0 498 099 A	VW	CAAE,CCHB	Fitting Position: Wheel Side Outer teething wheel side: 38 Int. teeth. wheel side: 29
CVG030014	6QE407311C	VW	BMD,CHFB	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 30
CVG030015	6QE 498 099	VW	BNM	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 30
CVG030016	251498099A	VW	JX DG	Fitting Position: Wheel Side Outer teething wheel side: 26 Int. teeth. wheel side: 25
CVG040001	1K0407311H 1K0498099C 1K0 407 311H	AUDI /SEAT /SKODA /VW	BGU , CFB	Wheel Side External Teeth : 36 Internal Teeth : 30 Seal Diameter :59.5mm

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040002	1K0407311G 1K0407311H 1K0498099A 1K0498099AX	AUDI /SEAT /SKODA /VW	CAXC,CMSA, BGU,BSE,BSF, BAG,BLF,BLP, CAYB, CAYC,	External Teeth : 36 Internal Teeth : 30 Seal Diameter : 59.5mm Length(mm): 95.5mm
CVG040003	6Q0498099B 5N0498099 6Q0498099EX 5N0407311B	AUDI /SEAT /SKODA	AMF , ATL , BAD , BNM ,BMS, BAH , ATD , ASZ , AZL , CAYC	Wheel Side External Teeth : 36 Internal Teeth : 30 Seal Diameter : 54mm
CVG040004	893498099 893498099M 895407305B 895498099A	AUDI	RN,PP,ABB,RA,SB,R U,SD,DZ,SF,JN,JV,N E,PM,1Y,AAD,3A,6A ,AAD,ABM,ADA,AA	Wheel Side External Teeth : 33 Internal Teeth : 30 Seal Diameter : 53mm
CVG040005	6Q0 498 099	AUDI	AUA,BBY	External Teeth : 36 Internal Teeth : 30 Seal Diameter : 52.5 mm Outer Diameter : 85.6 mm
CVG040006	3B0 498 099B 8D0 407 305M 3B0498099BX	AUDI /SKODA /VW	AJM, AVB,BSV,ATJ	Wheel Side External Teeth : 33 Internal Teeth : 27 Seal Diameter : 53mm
CVG040007	803407275A 431 498 099 A 431407275 431498099E	AUDI	YV,WH , WB,WE,DS,JW,NP	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 26
CVG040008	321 498 099 823 407 313 ZBA 407 311 823 407 313	AUDI	ZA, ZF , YJ,ZB, WV,YN	Outer teething wheel side: 22 Int. teeth. wheel side: 30 Material: Elastomer
CVG040009	893498099 321498099C 893498099X 321 498 099 C	AUDI	JV,HP,JS,HP,JS	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 22
CVG040010	893498099E	AUDI	RN,JK,JN,JV,NE,PM	Outer teething wheel side: 33 Int. teeth. wheel side: 30 Seal diam.: 53 mm

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040011	893498099H 893498099F 893498099B	AUDI	RA,SB JN,JV,NE,PM ABM 1Z,AHU	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 33
CVG040012	305407311B 811498099EV 321 498 099 F	AUDI	FY,WV,YN,DS,JV, KX	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 22
CVG040013	893 498 099 A 893 498 099 AX	AUDI	SD,DZ,NG, KV	Thread Size: M20x1.5 Outer teething wheel side: 22 Int. teeth. wheel side: 30
CVG040014	893498099M 895498099A 895407305B	AUDI	RA,SB,JN,JV,NE,PM, ACE	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 33
CVG040015	4686655 443498099D 443 498 099 DX	AUDI	DS,JW,NP ,SH ,NC	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 38
CVG040016	443498099B 4A0407305E 443 498 099 BX	AUDI	DS,JW,NP,WC,X,KU	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 38
CVG040017	895498099B 893498099G 893 498 099 GX	AUDI	ACE ,JN,NE,PM,AAD	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 33
CVG040018	443407305 431498099D 437407311A	AUDI	NF, WC, JV,NE, DZ	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 26
CVG040019	855.498.099A 855.498.099 855.498.099B	AUDI /VW)	HY,KV,KE,KL,KX	Fitting Position: Wheel Side Outer teething wheel side: 22 Int. teeth. wheel side: 25

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040020	4241 7Z 4A0407311C 4A0498099J 4A0 498 099 C	AUDI	ADR,AAD,ABK,ABC	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 38
CVG040021	443 498 099 GX 31 407 311 C 443 498 099 X 431 498 099 B	AUDI	MC,JV,NE,DZ	Thread Size: M22x1.5 Outer teething wheel side: 26 Int. teeth. wheel side: 28
CVG040022	443407311 443498099D	AUDI	DS,JW,NP,4B,PH	Wheel Side Seal diam.: 59.5 mm Int. teeth. wheel side: 25 Outer teething wheel side:
CVG040023	811 498 099 AX 811 498 099 A	AUDI	HY,KV,NG	Thread Size: M20x1.5 Outer teething wheel side: 22 Int. teeth. wheel side: 25
CVG040024	893 498 099 DX 893 498 099 D	AUDI	RN, RA,SBSF	Thread Size: M20x1.5 Outer teething wheel side: 22 Int. teeth. wheel side: 30
CVG040025	4A0 407 305F 4A0 498 099J 4A0 498 099B	AUDI	AAE AAD,ABK AAD	Fitting Position: Wheel Side Numb.of teeth,ABS ring: 45 Outer teething wheel side: 38
CVG040026	49110CB00C 491109Y800 1J0407311D	AUDI/SEAT	ABF,AJQ,ARY,AUQ, AGN,APG	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 36
CVG040027	893498099L 8A0407305F 4A0498099D	AUDI	AEL,AAT,ABP,AAH	Fitting Position: Wheel Side Length: 102 mm Material: Cast Steel Outer teething wheel side:
CVG040028	437 407 305 A 437 407 311 443 498 099 A	AUDI	JV,NE, DZ,KV	Thread Size: M22x1.5 Outer teething wheel side: 26 Int. teeth. wheel side: 28

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040029	443498099EX 443498099E	AUDI	KU,HX,KU,DS,JW,N P	Numb.of teeth,ABS ring: 45 Outer teething wheel side: 26 Int. teeth. wheel side: 25
CVG040030	8D0498099 8D0498099B 8D0 498 099 B S1	AUDI/SKODA	AZM ARS,ASG AEB,ANB,APU,ARK,	Fitting Position: Wheel Side Outer teething wheel side: 33 Int. teeth. wheel side: 30
CVG040031	1J0.498.099	AUDI	AEH,AKL,APF AMD, CDLA	Outer teething wheel side: 36 Int. teeth. wheel side: 30 Seal diam.: 53 mm
CVG040032	4D0.498.099	AUDI	ACK,AHA,ALG,AMX, APR,AQD,ATQ	Outer teething wheel side: 38 Int. teeth. wheel side: 27 Seal diam.: 59 mm
CVG040033	447 498 099 447 498 099 X	AUDI	1T	Outer teething wheel side: 38 Int. teeth. wheel side: 28 Seal diam.: 59.5 mm
CVG040034	893498099P 893498099PX	AUDI	AEB,ANB,APU,ARK, ATW,AWT	Fitting Position: Wheel Side Numb.of teeth,ABS ring: 45 Outer teething wheel side: 33
CVG040036	3B0498099AX 3B0498099A 3B0498099AV	AUDI/SKODA /VW	AHU AWT, ADR,APT,ARG	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 33
CVG040037	8D0.498.099C 8D0498099A	AUDI	ABC ACK,AHA,ALG,AMX, APR,AQD	Outer teething wheel side: 38 Int. teeth. wheel side: 30 Seal diam.: 59.6 mm
CVG040038	3B0 498 099 CX 3B0 498 099 H 3B0 498 099 BX	AUDI /SKODA /VW	AJM,ATJ AVB ATJ	Fitting Position: Wheel Side Outer teething wheel side: 33 Int. teeth. wheel side: 27

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040039		AUDI	AUA,BBY	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 30
CVG040040	6Q0 498 099 E	AUDI /SEAT/SKODA	ATD,AXR,CAXA,CN VA AMF,BHC	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 30
CVG040041	1J0 498 099 E 1J0 407 311 R	AUDI /SEAT	AJQ,APP,ARY,AUQ	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 27
CVG040042	8E0 407 305 A 8E0 498 099 D	AUDI	BGB,BPG,BWE,BWT	Fitting Position: Wheel Side Outer teething wheel side: 38 Int. teeth. wheel side: 33
CVG040043	8E0 498 099G 4D0 407 305B 8E0 498 099A	AUDI	AKE,BAU,BDH BCZ,BDG,BFC	Outer teething wheel side: 38 Int. teeth. wheel side: 27 Numb.of teeth,ABS ring: 45
CVG040044	1K0 498 099G 1K0 498 099X 1K0 407 311L 1K0407311H	AUDI /SEAT	AXW,BLR,BLX,BLY,B MB,BVY,BVZ	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 30
CVG040045	1KM498099 1K0498099B 8J0498099	AUDI/SKODA	AXX,BPY,BWA,CAW B,CBFA,CCCTA,CCZA	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 36
CVG040046	443 498 103 8D0 498 103 A	AUDI	AEB,ANB,APU,ARK, AWT	Length: 32 mm Bore Ø: 8.3 mm Tooth Gaps, profile shaft conn.: 33
CVG040047	191407331 811 498 103 A 321 498 103 B	AUDI /SKODA	JN,JV,NE,PM,SF	Fitting Position: Transmission End Joint Type: CV Joint Tooth Gaps, transm. side

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040048	8E0407305B	AUDI /SEAT	AKE,BAU,BDH,CAG A,CJCA	Fitting Position: Wheel Side Outer teething wheel side: 38 Int. teeth. wheel side: 27
CVG040049	8D0 407 305G	AUDI /VW	ADP,AHL,ANA,ARM	Fitting Position: Wheel Side Joint Type: CV Joint Int. teeth. wheel side: 30 Outer teething wheel side:
CVG040050	1J0 498 099 1J0 498 099 AX	AUDI /SEAT /SKODA /VW	AHW,AKQ,APE,AXP, BCA	Fitting Position: Wheel Side Outer teething wheel side: 36 Seal diam.: 53 mm
CVG040051	4D0 407 305 B 4D0 498 099 AX 8E0 498 099 G 8E0 498 099 A	AUDI	ACK,ALG,AMX,APR, AQD	Outer teething wheel side: 38 Int. teeth. wheel side: 27 Seal diam.: 59.5 mm
CVG040052	3B0 498 099 DX 8D0 407 305 Q	AUDI /SKODA /VW	AWL,AWT,AFN,AVG	Fitting Position: Wheel Side Outer teething wheel side: 33 Int. teeth. wheel side: 30
CVG040053	8D0.498.099C 8D0498099A	AUDI/ VW 5)	ACK,AHA,ALG,AMX, APR,AQD	Outer teething wheel side: 38 Int. teeth. wheel side: 30 Seal diam.: 59.6 mm
CVG040054	321 498 099 823 407 313 ZBA 407 311	AUDI /VW	YJ,ZB,EP	Outer teething wheel side: 22 Int. teeth. wheel side: 30 Seal diam.: 51 mm
CVG040055	321498099C 893498099X 321 498 099 CX 321 498 099 C	AUDI	JN,JV,NE,PM	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 22
CVG040056	321 498 099F 321 498 099E 321 407 311M	AUDI /VW	GU,GX,HV DS,JV	Outer teething wheel side: 22 Int. teeth. wheel side: 30 Material: Elastomer

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040057	1K0498099 1K0407311L	AUDI /SEAT /SKODA/	BSE,BSF,CCSA,CMX A	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 36
CVG040058	171 498 103 D 171 498 103 B 171 498 103 DV	AUDI /SEAT/VW	ABD,AEX,AKK,AKV, ANW,APQ,AUD	Length: 32 mm Bore Ø: 8.3 mm Tooth Gaps, profile shaft conn.: 33
CVG040059	191407311 191598099 321498099F 321498099B	AUDI / SEAT	VV,YN JN,JV,NE,PM	Outer teething wheel side: 22 Int. teeth. wheel side: 30 Seal diam.: 51 mm
CVG040060	321498103V 113598101 321498103X	AUDI /VW	AHW,AKQ,APE,AXP, BCA JN,JV,NE,PM	Tooth Gaps, profile shaft conn.: 33 Length: 32 mm Joint Ø: 94 mm
CVG040061	6Q0 498 099 E	AUDI /SEAT /SKODA	CAYC,CLNA ATD,AXR	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 30
CVG040062	6Q0 498 099 F	AUDI /SEAT /SKODA /VW	ASZ,BLT BPX,BUK	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 27
CVG040063	1J0 498 099 E 1J0 407 311 R	AUDI/ SEAT /SKODA	AJQ,ARY,AUQ,AWP	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 27
CVG040064	7L6498099C 7L6407321E	AUDI /VW	CCFA,CCFC CBWA	Fitting Position: Wheel Side Outer teething wheel side: 30 Int. teeth. wheel side: 29
CVG040065	1K0 498 099C 1K0 498 099E 1K0 498 099EX	AUDI	BGU,BSE,BSF,CCSA, CMXA	Fitting Position: Wheel Side Outer teething wheel side: 36 Int. teeth. wheel side: 30

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG040066	7L0 498 099 C	AUDI/VW	BKS,CATA,CASA,CN RB	Fitting Position: Wheel Side Outer teething wheel side: 30 Int. teeth. wheel side: 27
CVG040067	49110CB00C 1H0498099A 357 498 099 EX	AUDI /SEAT	AJQ,APP,ATC,AUQ	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 36
CVG050001	115420171	SKODA	135B,135M,AMG	ooth Gaps, profile shaft conn.: 30 Outer teething differential side: 22
CVG050002	6Q0 498 099C	SKODA	AWY,BMD AZE,AZF	Fitting Position: Wheel Side Outer teething wheel side: 20 Int. teeth. wheel side: 30
CVG050003	3B0 498 099 CX 3B0 498 099 BX 8D0 407 305 M 3B0 498 099 C	SKODA /VW	AJM,ATJ AVB	Fitting Position: Wheel Side Outer teething wheel side: 33 Int. teeth. wheel side: 27
CVG050004	6U0 498 099 6U0 407 272 FX 115 420 214 6U0 407 311	SKODA / VW	AEE,135B,135M,AM G	Fitting Position: Wheel Side Outer teething wheel side: 22 Int. teeth. wheel side: 22
CVG040068	443 498 099 GX 183 498 099 A 443 498 099 X	AUDI	MC,JV,NE	Outer teething wheel side: 26 Int. teeth. wheel side: 28 Seal diam.: 56.5 mm
CVG070001	93190193 16 03 411	ALFA/OPEL	199 A6.000 Z 10 XEP	Fitting Position: Wheel Side Outer teething wheel side: 22 Int. teeth. wheel side: 21
CVG070002	374536 9186550 49505-2PA20	OPEL /VAUXHALL	Z 19 DT, Z 19 DTH, Z 19 DTL, Z 20 NET, Y 22 DTR,Y 30 DT,Z 32	Wheel Side External Teeth : 27 Internal Teeth : 28 Seal Diameter : 35mm

GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG070003	4401727 8200169277 8200169281 8200169285	NISSAN /OPEL /RENAULT/ VAUXHALL	G9T 722,G9U 720,G9U 754,F9Q 772,F9Q 774,ZD30, S9W 702	Wheel Side External Teeth : 28 Internal Teeth : 36 Seal Diameter : 65mm
CVG080001	82448780 737319 7703689	SEAT	022 A 000,138 AR6.000	Wheel Side External Teeth : 22 Internal Teeth : 25 Seal Diameter : 48 mm
CVG080002	357 498 099 1H0 498 099 191 407 311J	SEAT	ABS,ACC,ADZ	Wheel Side External Teeth : 22 Internal Teeth : 30 Seal Diameter : 50 mm
CVG080003	SE025141514B 5998706 5944689	SEAT	09 NCB,100 GL 7000	Wheel Side External Teeth : 20 Internal Teeth : 20 Seal Diameter : 43 mm
CVG080004	1H0 407 311C 171 407 311K 191 498 099F	SEAT	APE,AUA	Wheel Side External Teeth : 22 Internal Teeth : 30 Seal Diameter : 50 mm
CVG080005	SE022141915 SE138141915A	SEAT	146 A 000	External Teeth : 22 Internal Teeth : 20 Seal Diameter : 48 mm Outer Diameter : 80.4 mm
CVG080006	357 498 099EX 357 498 099EV 1H0 498 099A	SEAT	AGZ	Wheel Side External Teeth : 36 Internal Teeth : 30 Seal Diameter : 53 mm
CVG080007	6N0 498 099	SEAT	AHT	Wheel Side External Teeth : 22 Internal Teeth : 30 Seal Diameter : 53 mm
CVG080008	1J0498099 SK1J0498099A 1J0498099	SEAT	AHW,APE,AUA,AXP, BCA	Wheel Side External Teeth : 36 Internal Teeth : 30 Seal Diameter : 53 mm



GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG080009	7M0 498 099	SEAT	1Z,AHU,ANU	Wheel Side External Teeth : 38 Internal Teeth : 27 Seal Diameter : 60 mm
CVG080010	6QD498099 6Q0407311Q 6Q0498099E	SEAT	AMF	Wheel Side External Teeth : 36 Internal Teeth : 30 Seal Diameter : 52 mm
CVG080011	6Q0407311D	SEAT	ASZ,BLT	Wheel Side External Teeth : 36 Internal Teeth : 27 Seal Diameter : 52 mm
CVG080012	1J0498099EV 1J0407311R	SEAT	APP,AUQ	Wheel Side External Teeth : 36 Internal Teeth : 27 Seal Diameter : 53 mm
CVG080013	7M0498099A 7M0407321B	SEAT	1Z,AHU,ANU	Wheel Side External Teeth : 38 Internal Teeth : 36 Seal Diameter : 60 mm
CVG080014	1K0 498 099A 1K0 498 099A	SEAT	CHGA	Wheel Side External Teeth : 36 Internal Teeth : 30 Seal Diameter : 59.5 mm
CVG080015	1K0 498 099B 8J0 498 099	SEAT	CAYC	Wheel Side External Teeth : 36 Internal Teeth : 27 Seal Diameter : 59.5 mm
CVG080016	1K0498099 1K0498099A 1K0407311G	SEAT	BJB,BKC,BLS,BXE	Wheel Side External Teeth : 36 Internal Teeth : 30 Seal Diameter : 59.5 mm
CVG080017	1K0498099C 1K0407311L 1K0498099E	SEAT /VW	BGU,BSE,BSF BGU,BSE,BSF,CCSA, CMXA	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 36



GERMAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVG080018	357498099 1H0498340X 191498099A 191 498 099 AS	SEAT /VW	1Z,AHU,ALH ABS,ACC,ADZ	Fitting Position: Wheel Side Joint Type: CV Joint Outer teething wheel side: 22
CVG080019	6N0 498 099	SEAT / VW	AHW,APE,AUA	Outer teething wheel side: 22 Int. teeth. wheel side: 30 Material: Elastomer

AMERICAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVA160001	G03325600D G04325600 G03325500B	FORD/MAZDA	FE (16V) F8 (12V)	Outer teething wheel side: 26 Int. teeth. wheel side: 25 Seal diam.: 56 mm
CVA160002	81AG3K187AA 6069110	FORD	F6B,F6D,FUC	Ø: 84 mm Outer teething wheel side: 23 Int. teeth. wheel side: 22
CVA160003	1 079 589 R98AX-3C242-CA 1 690 325 6 071 774	FORD	TKA,TKW JPA	Fitting Position: Wheel Side Outer teething wheel side: 23 Int. teeth. wheel side: 20
CVA160004	6 485 412 R98FX-3C242-FA 1 690 332 1 078 682	FORD	GUD,GUE	Fitting Position: Wheel Side Outer teething wheel side: 23 Int. teeth. wheel side: 20
CVA160005	79TT3K187BA	FORD	JPC FUB	Outer teething wheel side: 23 Int. teeth. wheel side: 22 Seal diam.: 55 mm
CVA160006	92AG-3K187-BA 92AG-3K183-BA	FORD	RTE,RTF,RTH	Fitting Position: Wheel Side Outer teething wheel side: 25 Int. teeth. wheel side: 22
CVA160007	1 078 680 R98FX-3C242-EA 89FG-3K187-CA 1 690 331	FORD	RTC,RTD,RTG	Fitting Position: Wheel Side Outer teething wheel side: 23 Int. teeth. wheel side: 22
CVA160008	96AG-3K183-BB 1 003 550 92AG-3K183-DA	FORD /MAZDA	DHA,DHB,DHC,DH D,DHE,DHF,DHG	Drive Shaft: without ABS ring Length: 140 mm Fitting Position: Wheel Side
CVA160009	92AG3K183M 6485415 92AG3K187M	FORD	RFD,RFK RDA	Outer teething wheel side: 25 Int. teeth. wheel side: 25 Seal diam.: 56.5 mm

AMERICAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVA160010	93BG3B413DE 1023247 6757622 93BG3B413BB	FORD	RFM,RFN	Fitting Position: Wheel Side Outer teething wheel side: 27 Int. teeth. wheel side: 25
CVA160011	93BG3B413ABB 93BG3B413DE 93BG3B413BE 93BG3B413BB	FORD	RFM,RFN	Joint Type: CV Joint Outer teething wheel side: 27 Int. teeth. wheel side: 25
CVA170001	96273570	CHEVROLET /DAEWOO	F8CV	Wheel Side External Teeth : 23 Internal Teeth : 19 Seal Diameter : 46mm
CVA170002	7842037 7845024 7843919	CHEVROLET	LD2	Wheel Side External Teeth : 27 Internal Teeth : 32 Seal Diameter : 61.5 mm
CVA170003	96396134 512395 96273571	CHEVROLET	B10S	External Teeth : 23 Internal Teeth : 19 Seal Diameter : 46 mm Outer Diameter : 72 mm
CVA170004	96963324 96348782 96963323	CHEVROLET	F12S3	Wheel Side External Teeth : 22 Internal Teeth : 19 Seal Diameter : 52 mm
CVA170005	96391551 96391550	CHEVROLET	F14D4,LDT	Wheel Side External Teeth : 22 Internal Teeth : 22 Seal Diameter : 52 mm
CVA170006	96273760	CHEVROLET	F14D3	Wheel Side External Teeth : 33 Internal Teeth : 22 Seal Diameter : 52 mm
CVA170007	96273759	CHEVROLET	F16D3	Wheel Side External Teeth : 33 Internal Teeth : 22 Seal Diameter : 52 mm



AMERICAN

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVA170008	96564144 96273571 374002	CHEVROLET /DAEWOO	F8CV B10S	Ø: 72 mm Outer teething wheel side: 23 Int. teeth. wheel side: 19
CVA170009	96348782	CHEVROLET /DAEWOO	B12D1,LMU	Fitting Position: Wheel Side Outer teething wheel side: 22 Int. teeth. wheel side: 19
CVA170010	96273760	CHEVROLET /DAEWOO	F16D3 T18SED	Fitting Position: Wheel Side Outer teething wheel side: 33 Int. teeth. wheel side: 22
CVA170011	96273759	CHEVROLET	T18SED F14D3	Fitting Position: Wheel Side Outer teething wheel side: 33 Int. teeth. wheel side: 22



JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ230001	4341020444 4346019365 4347019316	TOYOTA	4E-FE, 4A-FE, 2C	Wheel Side External Teeth : 26 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ230002	43410-20240 4341020242 4341020243 43420-20190	LEXUS/NISSAN /TOYOTA	2VZ-FE,VK45DE, 5S-FE, 2C-T, 2VZ- FE, 3S-FE, 4A-FE , 3S-GE, 3S-GTE,	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 56 mm
CVJ230003	43410-03010	TOYOTA	3S-FE ,2C-T ,	Wheel Side External Teeth : 26 Internal Teeth : 30 Seal Diameter : 56 mm
CVJ230004	43410-02040 43410-02070 43420-02040 43420-02070	TOYOTA	4A-FE , 3S-FE, 5S-FE	Wheel Side External Teeth : 26 Internal Teeth : 29 Seal Diameter : 56 mm
CVJ230005	43410-10020 4341010021 4341010022 4342010021	TOYOTA	1E-L ,2E-LC , 1N	Wheel Side External Teeth : 23 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ230006	43470-59025 43420-59050 43410-59050	TOYOTA	1SZ-FE, 2NZ-FE, 1ND-TV, 1NZ-FE	Wheel Side External Teeth : 24 Internal Teeth : 26 Seal Diameter : 58 mm
CVJ230007	4346009270 4347009440 4347009480 4347009481	TOYOTA	4A-FE, 7A-FE, 3S- FE, 4ZZ-FE,	Wheel Side External Teeth : 26 Internal Teeth : 22 Seal Diameter : 56 mm
CVJ230008	4346009290 4346009490 4347009500 4347009740	TOYOTA	4A-FE ,7A-FE ,3S- FE	Wheel Side External Teeth : 26 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ230009	43410-20321 43470-29216 43470-29218 43420-20271	TOYOTA/ LEXUS	2VZ-FE, 5S-FE, 3S-GE, 3S-GTE, 2TZ-FE	Wheel Side External Teeth : 27 Internal Teeth : 26 Seal Diameter : 56 mm

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ230010	43410-05130 43410-05140 43410-06050 43410-06060	TOYOTA	VK45DE, 5S-FE, 3S-FE	Wheel Side External Teeth : 26 Internal Teeth : 32 Seal Diameter : 56mm
CVJ230011	4346059065 4346059066 4346059115 4346059125	TOYOTA	2NZ-FE	Wheel Side External Teeth : 24 Internal Teeth : 22 Seal Diameter : 58mm
CVJ230012	43430-35012 43430-35022 4343035010 43460-29067	TOYOTA	3VZ-E , 1KZ-T , 2RZ-E , 2L , 2L- T , 3RZ-FE	Wheel Side External Teeth : 26 Internal Teeth : 27 Seal Diameter : 60mm
CVJ230013	4341052070 4342052070 4346059045 4347059045	TOYOTA	2NZ-FE, 1NZ- FE, 1ND-TV,	Wheel Side External Teeth : 24 Internal Teeth : 23 Seal Diameter : 58mm
CVJ230014	43420-05130 4346009510 43470-09541 4347009760	TOYOTA	1CD-FTV	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 56mm
CVJ230015	4341052050 43420-0D020 4342052050 4346009520	TOYOTA	1SZ-FE , 2SZ-FE , 1ND-TV	Wheel Side External Teeth : 24 Internal Teeth : 28 Seal Diameter : 56mm
CVJ230016	3292.03 43470-09C90 3272JY 43410-0H010-A	TOYOTA /CITROEN / PEUGEOT	1KR-FE	Wheel Side External Teeth : 24 Internal Teeth : 19 Seal Diameter : 49.4mm
CVJ230017	43430-0K020 43430-0K021 43430-0K030 434300K022	TOYOTA	2KD-FTV,2TR- FE,1KD-FTV,1GR- FE,	Wheel Side External Teeth : 30 Internal Teeth : 29 Seal Diameter : 72.7mm
CVJ230018	43410-02270 43420-02300 43460-09621 4346009A21	TOYOTA	1ND-TV, 1CD- FTV,	Wheel Side External Teeth : 26 Internal Teeth : 25 Seal Diameter : 58mm

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ230019	43405-60030 43405-60050 4340560120	TOYOTA	1H-Z , 3F-E , 1HD-T	Wheel Side External Teeth : 30 Internal Teeth : 24 Seal Diameter : 33.5mm
CVJ230020	43410-32090 43420-32070 43410-32271	LEXUS /TOYOTA	2VZ-FE	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 56mm
CVJ230021	43410-52070 43420-52070 43420-52110	TOYOTA	1SZ-FE	Wheel Side External Teeth : 24 Internal Teeth : 23 Seal Diameter : 58mm
CVJ230022	43420-42120 43410-42060	TOYOTA	2AZ-FE , 1AZ-FE , 1CD-FTV	Wheel Side External Teeth : 26 Internal Teeth : 27 Seal Diameter : 63mm
CVJ230023	43410-33070 43410-33120 43410-33201 43420-3304	LEXUS /TOYOTA	3VZ-FE	Wheel Side External Teeth : 30 Internal Teeth : 27 Seal Diameter : 56mm
CVJ230024	43420-48070 43410-28061 43420-33230 43460-49275	TOYOTA	1CD-FTV	Wheel Side External Teeth : 30 Internal Teeth : 27 Seal Diameter : 63.35mm
CVJ230025	43405-60070	TOYOTA	3F-E , 1H-Z , 1HD-T , 1FZ-FE	Wheel Side External Teeth : 30 Internal Teeth : 24 Seal Diameter : 59mm
CVJ230026	43410-12130 43420-12090 43410-12080 43420-12030	Toyota	4A-LC 4A-L 4A-FE 4A-F 4A-GE	Wheel Side External Teeth : 26 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ230027	43405-60015 43405-60016 43405-60040	TOYOTA	4A-LC 4A-L 4A-FE 4A-F 4A-GE	Wheel Side External Teeth : 30 Internal Teeth : 27 Seal Diameter : 56 mm

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ230028	43410-20060 43410-20061 43410-20062 43410-20070	Toyota	3S-GE 3S-FE 3S-GEL	Wheel Side External Teeth : 26 Internal Teeth : 25 Seal Diameter : 56 mm
CVJ230029	43410-10020 43410-10030 43410-10040 43410-10050	TOYOTA	2E-LC	Wheel Side External Teeth : 23 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ230030	4233017020 4341002010 4341002011 4341012030	TOYOTA	1C 1C-L 1C-TL 1S- EL 1S-L 2C 2C-L 2C-T 2E-E 3S-FE 3S-GE 4A-F 4A-FE	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 56 mm
CVJ230031	43410-02220 43410-02230 43410-12510 43410-12520	TOYOTA	1ZZ-FE 2ZZ-GE	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 58 mm
CVJ230032	43410-32271 43420-32211 43410-32090 43420-32070	TOYOTA	2VZ-FE	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 56 mm
CVJ230033	43410-12570 43410-20060 43410-20310 4341020061	TOYOTA	2C-T, 3S-FE, 3S- GELC, 3S-GEL, 3S-GE, 4A-GELC, 4A-GEL	Wheel Side External Teeth : 27 Internal Teeth : 36 Seal Diameter : 56.5mm
CVJ230034	43410-10160 43410-10180 43410-12270 43410-16100	TOYOTA	1C 2C 2C-T 3ZZ-FE 4A-FE 4A-GE 4E-FE 4ZZ-FE 7A-FE	Wheel Side External Teeth : 26 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ230035	43410-20160 43420-20130 43410-20340 43420-20160	TOYOTA	4A-GEL	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 56 mm
CVJ230036	43410-20241 43420-20191 43410-20670 43420-20430	TOYOTA/LEXUS	2VZ-FE 2TZ-FE 3S-GE 5S-FE	Wheel Side External Teeth : 26 Internal Teeth : 27 Seal Diameter : 56 mm

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ230037	43410-06050 43420-06050	TOYOTA	5S-FE	Wheel Side External Teeth : 26 Internal Teeth : 32 Seal Diameter : 56 mm
CVJ230038	43460-29067 43430-26013 43430-26021 43430-35021	TOYOTA	1KZ-T 2L 2L-T 2RZ-E	Wheel Side External Teeth : 26 Internal Teeth : 27 Seal Diameter : 60 mm
CVJ230039	43405-60100 43405-60110 43405-60110	TOYOTA	2H, 1H-Z, 1FZ-FE	Wheel Side External Teeth : 30 Internal Teeth : 24 Seal Diameter : 59 mm
CVJ230040	43410-02240 43420-02270 43460-09600 43460-09601	Toyota /NISSAN	3ZZ-FE 4ZZ-FE	Wheel Side External Teeth : 26 Internal Teeth : 23 Seal Diameter : 58 mm
CVJ230041	43410-12070 43410-12140 43410-20010 43410-20031	TOYOTA /CHRYSLER	625H, 3S-FE, 1S- L, 2C-T, 1S-L, 1C- TL, 2S-ELC, 2S-E, 2S- ELC, 2S-EL, 1S, 7A-	Wheel Side External Teeth : 26 Internal Teeth : 24 Seal Diameter : 56mm
CVJ240001	44305-SD9-013 44306-SD9-013 44305-SH3-J00 44305-SJ4-J02	HONDA	D15A1 A20A1 A20A2 A20A3 A20A4 B20A1 D15A1 D15B2	Wheel Side External Teeth : 26 Internal Teeth : 32 Seal Diameter : 49 mm
CVJ240002	44305-SM4-983 44306-SM4-983 44010-SM4-A01 44011-SM4-A61	HONDA	B20A1 B20A3 B20A4 B20A5 B20A7 B20A9 F20A4 F20B3 F22B5	Wheel Side External Teeth : 28 Internal Teeth : 32 Seal Diameter : 60 mm
CVJ240003	44014-SAB-N21	Honda	L12A2 L13A1	Wheel Side External Teeth : 26 Internal Teeth : 28 Seal Diameter : 52 mm
CVJ240004	44306-SH3-J00 44306-SD2-965 44306-SB2-982 44306-SD2-010	HONDA	A20A1, A20A2, A20A3, A20A4, EW2, D16A6, D15B2,	Wheel Side External Teeth : 26 Internal Teeth : 32 Seal Diameter : 49mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ240005	44011SH3A02 44305-SH3-960 44305-SH3-970 44305-SH3-981	HONDA	A16A1, D14A1, D15B2, D12B1,ZA2, D13B1, D13B2,	Wheel Side External Teeth : 26 Internal Teeth : 30 Seal Diameter : 49mm
CVJ240006	44010SM4000 44010SM4950 44010SM4954 44010SM4A12	HONDA	F20A6,F20A2,F20A3 ,F20A4,F20A8,F20Z 3,F22A3	Wheel Side External Teeth : 28 Internal Teeth : 32 Seal Diameter : 60mm
CVJ240007	42330S2L306 42330S2L316 44014-ST7-CO1 44014S5A950	HONDA	B16A2,D16Y6,D16Y 8,D17A6,D16W1,D1 6W5, D17A2, F18B,F20B,F20B4,F2	Wheel Side External Teeth : 26 Internal Teeth : 30 Seal Diameter : 60mm
CVJ240008	44305-634-003 44305-634-023 44305-634-023 44305-671-003	HONDA	EG,EL,EB1,EB3,EB2,E N1,EN4,	Wheel Side External Teeth : 23 Internal Teeth : 22 Seal Diameter : 45 mm
CVJ240009	44306-689-010 44305-689-030	HONDA	EG,EL,EB3,EB2,EN2, EN1,EN4, D13B1, D13B2,EL14	Wheel Side External Teeth : 23 Internal Teeth : 22 Seal Diameter : 45 mm
CVJ240010	44010SB2750 44010SB2962 44305-SF4-J21 44305-SF4-J22	HONDA	EW2,EW3,EW4,EV2, D12B1,ZA2	Wheel Side External Teeth : 23 Internal Teeth : 30 Seal Diameter : 49 mm
CVJ240011	44010ST7N50 44011-SR3-J03 44011ST7N50	HONDA	B20A8,B20A2,D16A 7,D16A9,D16A7, D15B7,D16Y6,D16Z 9,D16Z6	Wheel Side External Teeth : 26 Internal Teeth : 30 Seal Diameter : 55 mm
CVJ240012	44010-SR3-J51 44010-SR3-J52 44010-ST7-J50 44011-ST7-J70	HONDA	B20A8,B20A2,B16A 2,D16Y8,D16Z6, B16A2,B18C6,B20A 4, B20A3	Wheel Side External Teeth : 26 Internal Teeth : 32 Seal Diameter : 55 mm
CVJ240013	44306-SH3-G00 44306-SE0-G02 44305-SH3-G10 44305-SH3-G00	HONDA	A16A1,D14A1,D15B 2,ZA2 ,D13B1	Wheel Side External Teeth : 26 Internal Teeth : 30 Seal Diameter : 49 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ240014	44305-SA5-020 44305-SA5-640 44305-SA5-641 44305-SB0-621	HONDA	EZ,ET2,ET4	Wheel Side External Teeth : 24 Internal Teeth : 30 Seal Diameter : 47 mm
CVJ240015	44306-SA7-000	HONDA	ER1	Wheel Side External Teeth : 23 Internal Teeth : 27 Seal Diameter : 45 mm
CVJ250001	39100-58G00 39100-58G60 39100-88G00 39211-58G00	FORD NISSAN	VG30E	Wheel Side External Teeth : 28 Internal Teeth : 27 Seal Diameter : 50 mm
CVJ250002	39100-M7270	NISSAN	E15S	Wheel Side External Teeth : 24 Internal Teeth : 22 Seal Diameter : 52 mm
CVJ250003	39101-11M05 39101-11M00 39100-11M05	NISSAN	A10,A10S,A12,CA1 6S,CA18S,CD17,E13 ,E15S	Wheel Side External Teeth : 24 Internal Teeth : 22 Seal Diameter : 52 mm
CVJ250004	39100-50A00 39101-50A00 39101-50A10	NISSAN	CD17	Wheel Side External Teeth : 25 Internal Teeth : 22 Seal Diameter : 52.3 mm
CVJ250005	39100-01B05 39100-01B06 39100-01B11 39100-01B15	NISSAN	MA10S	Wheel Side External Teeth : 21 Internal Teeth : 19 Seal Diameter : 48 mm
CVJ250006	39100-60A10 39100-65A10 39101-65A10 3910165A05	NISSAN	CA18D,E15S,GA14S	Wheel Side External Teeth : 25 Internal Teeth : 25 Seal Diameter : 52.3 mm
CVJ250007	39100-72J10 39100-72J15 39100-72J20 39210-73J26	NISSAN	CD20,GA16DE,GA1 6DS	Wheel Side External Teeth : 27 Internal Teeth : 22 Seal Diameter : 56 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ250008	39100-0M005 39100-50Y00 39100-51Y00 39100-52Y00	NISSAN	CD20,GA14DE,GA14DS	Wheel Side External Teeth : 25 Internal Teeth : 22 Seal Diameter : 55 mm
CVJ250009	3910024B10 3910124B00 3910124B10 3921124B00	NISSAN	MA10S,MA12S	Wheel Side External Teeth : 23 Internal Teeth : 19 Seal Diameter : 48 mm
CVJ250010	39100-44B12 39100-72B15 39101-44B10 39101-44B12	NISSAN	CG13DE,TD15	Wheel Side External Teeth : 23 Internal Teeth : 22 Seal Diameter : 48 mm
CVJ250011	3910041B00 3910041B05 3910141B05 3910145B00	NISSAN	CG10DE	Wheel Side External Teeth : 23 Internal Teeth : 19 Seal Diameter : 48 mm
CVJ250012	39101-62Y05 39100-61Y06 39101-0M905 39101-0M301	NISSAN	CD20,GA16DE,SR20DET	Wheel Side External Teeth : 25 Internal Teeth : 23 Seal Diameter : 55 mm
CVJ250013	39100-05E02 39100-10E02 39101-05E02 39101-10E02	NISSAN	CA18T,CA20S,LD20	Wheel Side External Teeth : 27 Internal Teeth : 25 Seal Diameter : 56 mm
CVJ250014	39100-60Y10 39100-62Y00 39100-62Y15 39100-63Y10	NISSAN	CD20,GA16DE,SR20DET	Wheel Side External Teeth : 25 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ250015	39100-51Y10 39100-52Y10 39100-53Y10 39101-51Y00	NISSAN	CD20,GA14DE,GA14DS	Wheel Side External Teeth : 25 Internal Teeth : 22 Seal Diameter : 55 mm
CVJ250016	39100-1C100 39100-50R10 39100-61E00 39100-62E00	NISSAN	CD20,GA16DE,GA16DS,LD20,SR20DE	Wheel Side External Teeth : 27 Internal Teeth : 23 Seal Diameter : 56 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ250017	39100-64Y05 39100-64Y10 39100-64Y15 39101-64Y00	NISSAN	SR20DE,CD20T,	Wheel Side External Teeth : 25 Internal Teeth : 25 Seal Diameter : 55 mm
CVJ250018	39100-06R00 39100-73N01 39100-85E00 39100173N10	NISSAN	CA20E,CA20S,CD20T,CA20E,SR20DI,CD20,SR20DI	Wheel Side External Teeth : 27 Internal Teeth : 25 Seal Diameter : 56 mm
CVJ250019	39211-2F025	NISSAN	GA16DE	Wheel Side External Teeth : 27 Internal Teeth : 22 Seal Diameter : 56 mm
CVJ250020	77 00 110 484	NISSAN /RENAULT	D7F 764 , D7F 710,E7J 780,F8Q 630, F8Q 662, F9Q 780,K4J 700, K4J	Wheel Side External Teeth : 21 Internal Teeth : 30 Seal Diameter : 52.2 mm
CVJ250021	39211-AY125	NISSAN	CG10DE,CR12DE,CR14DE	Wheel Side External Teeth : 23 Internal Teeth : 21 Seal Diameter : 49 mm
CVJ250022	39211-AY625	NISSAN	K9K 704, K9K 722	Wheel Side External Teeth : 23 Internal Teeth : 22 Seal Diameter : 49 mm
CVJ250023	39211-BM726	NISSAN	K9K 722, QG18DE	Wheel Side External Teeth : 25 Internal Teeth : 23 Seal Diameter : 55 mm
CVJ250024	39211-BM527	NISSAN	QG15DE	Wheel Side External Teeth : 25 Internal Teeth : 22 Seal Diameter : 55 mm
CVJ250025	39211BM427	NISSAN	YD22DDTi, YD22DDT	Wheel Side External Teeth : 27 Internal Teeth : 26 Seal Diameter : 55 mm

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ250026	39100-31G00 39100-78G60 3921131G00 3921178G01	NISSAN	KA24E,SD25,TD25,T D27, TD27ETi, TD27T,VG30E, Z24i	Wheel Side External Teeth : 27 Internal Teeth : 27 Seal Diameter : 50 mm
CVJ250027	39211-73J27	NISSAN	GA16DS,GA16DE	Wheel Side External Teeth : 27 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ250028	3910001J10 3910101J10 0K30A22510	NISSAN	RD28T,TB42E,TD42, RD28T	Wheel Side External Teeth : 31 Internal Teeth : 27 Seal Diameter : 60 mm
CVJ250029	39100-D0100 39100-D3100 3910016R05 39101-16R05	NISSAN	GA16DS,GA16DE, SR20DI, CD20, GA16DE, GA16DS, SR20DI, GA16DE	Wheel Side External Teeth : 24 Internal Teeth : 23 Seal Diameter : 52 mm
CVJ250030	39100-31U00 39101-31U00 39101-32U05	NISSAN	VQ20DE,VQ25DE,V Q30DE	Wheel Side External Teeth : 29 Internal Teeth : 27 Seal Diameter : 56 mm
CVJ250031	39211-BU125	NISSAN	YD22DDTi, YD22DDT,QR20DE,	Wheel Side External Teeth : 27 Internal Teeth : 26 Seal Diameter : 56 mm
CVJ250032	39101-0E417 391014U075 39211-5V471 C9211AU31A	NISSAN	CD20T,GA16DE,QG 16DE,QG18DE, SR20DE,SR20De	Wheel Side External Teeth : 27 Internal Teeth : 23 Seal Diameter : 56 mm
CVJ250033	39100-1C100 39100-3J210 39100-61E00 39100-65J00	NISSAN	RD28T , RD28Ti	Wheel Side External Teeth : 27 Internal Teeth : 23 Seal Diameter : 56mm
CVJ250034	39100-55E01 39101-55E01 39101-73N00 39100-D5610	NISSAN	VG30E	Fitting Position: Wheel Side Outer teething wheel side: 27 Int. teeth. wheel side: 25

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ250035	39100-60Y05 39101- 60Y05 39100-60Y00 39100-62Y05 39100- 62Y00 39101-62Y00	NISSAN	CD20 GA16DE	Wheel Side External Teeth : 25 Internal Teeth : 23 Seal Diameter : 55 mm
CVJ250036	39100-72J20 39100-73J00 39101-73J00 39211-73J25	NISSAN	CD20 GA16DE GA16DS	Wheel Side External Teeth : 27 Internal Teeth : 22 Seal Diameter : 56 mm
CVJ250037	39100-50A00 39100-50A10 39100-50A11 39100-52A00	NISSAN	CD17	Fitting Position: Wheel Side Fitting Position: Front Axle Int. teeth. wheel side: 22 Outer teething wheel side:
CVJ250038	39100-50Y10 39100-51Y10 39100-52Y10 39100-53Y10	NISSAN	CD20 GA14DE GA14DS	Wheel Side External Teeth : 25 Internal Teeth : 22 Seal Diameter : 55 mm
CVJ260001	MB526544 MB526553 MB526666 MB526551	MITSUBISHI	4D65	Wheel Side External Teeth : 25 Internal Teeth : 30 Seal Diameter : 50 mm
CVJ260002	MB297372 MB297373 MB297492 MB526350	MITSUBISHI HYUNDAI	G4CR G4CS 4D65 4D65T 4G12T 4G15 4G16 G15B	Wheel Side External Teeth : 25 Internal Teeth : 23 Seal Diameter : 50 mm
CVJ260003	MB526854 49505-28B01 495001C200 495001C301	MITSUBISHI HYUNDAI	4G11	Fitting Position: Wheel Side Fitting Position: Front Axle Int. teeth. wheel side: 22 Outer teething wheel side:
CVJ260004	MB886682 MR350587 MB620328	MITSUBISHI	6G74 (DOHC 24V);6G74 (SOHC 24V)	Fitting Position: Transmission End Fitting Position: Front Axle Right
CVJ260005	4950722C00 4950722C00 4950822A00 4950822B00	MITSUBISHI /HYUNDAI	G4EH, G4EK,G4ER,G15B,G 4DJ,4G11,4G12,4G1 6,4G37	Wheel Side External Teeth : 25 Internal Teeth : 22 Seal Diameter : 50mm

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ260006	MB620701 MB620702 MB620702 MB886266	MITSUBISHI	Z5-DE , B3 (16V) ,RF1G , RF1G	Wheel Side External Teeth : 27 Internal Teeth : 25 Seal Diameter : 60mm
CVJ270001	G57022510A G56422610A G06325500 G06325600A	MAZDA	FE (16V) RF-N	Outer teething wheel side: 28 Int. teeth. wheel side: 26 Seal diam.: 56 mm
CVJ270002	G064-25-500 G064-25-600 G054-25-500A G054-25-600D	MAZDA	FE (12V) F2,F2L1	Fitting Position: Wheel Side Outer teething wheel side: 28 Int. teeth. wheel side: 26
CVJ270003	F00122540 F00125400 F00125400A F00125400B	MAZDA	E5 E3 PN46	Outer teething wheel side: 24 Int. teeth. wheel side: 22 Seal diam.: 52 mm
CVJ270004	F00125400A 39100-M7270	MAZDA	B3	Wheel Side External Teeth : 24 Internal Teeth : 22 Seal Diameter : 52 mm
CVJ270005	B002-25-400B B002-25-500 B002-25-500B B002-25-600	MAZDA/KIA	B1 B3	Wheel Side External Teeth : 24 Internal Teeth : 19 Seal Diameter : 52 mm
CVJ270006	FA50-22-610A FA50-25-40XA FA50-25-40XB FA50-25-60XB	MAZDA	B3 (16V) ZL06 ZL05 ZM	Wheel Side External Teeth : 26 Internal Teeth : 28 Seal Diameter : 56 mm
CVJ270007	GD15-22-510	MAZDA	FPY3	Wheel Side External Teeth : 28 Internal Teeth : 22 Seal Diameter : 56 mm
CVJ270008	F013-25-400 F013-25-600C F013-25-600D F013-25-600E	MAZDA	B3E B3 (16V) PN54	Wheel Side External Teeth : 26 Internal Teeth : 21 Seal Diameter : 56 mm

JAPANESE

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ270009	B00325400C B00325400 B00225400	MAZDA KIA	B3 (16V)	Outer teething wheel side: 24 Int. teeth. wheel side: 19 Seal diam.: 52 mm
CVJ280001	72322-1055	SUBARU	EA65	Wheel Side External Teeth : 30 Internal Teeth : 22 Seal Diameter : 52 mm
CVJ280002	23221-GA242	SUBARU	EA71	Wheel Side External Teeth : 30 Internal Teeth : 22 Seal Diameter : 58 mm
CVJ280003	23221-GA232	SUBARU	EA82	Wheel Side External Teeth : 30 Internal Teeth : 23 Seal Diameter : 58 mm
CVJ280004	23291GA191 23221GA373	SUBARU	EA82,EA82T	Wheel Side External Teeth : 30 Internal Teeth : 25 Seal Diameter : 58 mm
CVJ280005	28021AA132 28091AA024	SUBARU	EJ201,EJ20E	Wheel Side External Teeth : 27 Internal Teeth : 30 Seal Diameter : 56 mm
CVJ280006	28021FC031 28021FC030	SUBARU	EJ16	Wheel Side External Teeth : 27 Internal Teeth : 25 Seal Diameter : 56 mm
CVJ280007	28021AA003 28021AA541	SUBARU	EJ205	External Teeth : 27 Internal Teeth : 22 Seal Diameter : 56 mm Outer Diameter : 83 mm
CVJ300001	43410-87717 43420-87717 43410-87718 43420-87718	DAIHATUS	CB 23 HCE	Wheel Side External Teeth : 24 Internal Teeth : 19 Seal Diameter : 54 mm

SP NO.	OE. NO.	APPLICABLE	ENGINE	SPECIFICATON
CVJ310001	44101-63B11 44102-63B11 44101-63B21 44102-63B22	SUZUKI	JL474Q1;JL474Q5	Wheel Side External Teeth : 23 Internal Teeth : 19 Seal Diameter : 49 mm
CVJ310002	44101-60B20 44101-60B30 44101-62B11 44101-63B10	SUZUKI	G10A , G13A, G13B, G10BB, F6A, G13BA	Wheel Side External Teeth : 23 Internal Teeth : 19 Seal Diameter : 49mm
CVJ310003	4410163B11 4410160820 4410160830 4410163B10	SUZUKI	G10A , G13A	External Teeth : 23 Internal Teeth : 19 Flange(mm): 49mm
CVJ380001	8-97139-093-0 8-97136-888-0	ISUZU	6VD1	Wheel Side External Teeth : 17 Internal Teeth : 33 Seal Diameter : 53 mm
CVK460001	96245285 96267048 96349953 512292	DAEWOO REZZO (KLAU) 2.0	T20SED	Outer teething wheel side: 33 Int. teeth. wheel side: 32

ADINA Industries Co. Ltd.
 浙江阿迪娜工业科技有限公司
**Zhejiang Adina Industries
 Technology Co. Ltd.**
 Address
 RM 802, Building D,
 Shangduan Tower
 Yucheng Street, Yuhuan City
 Zhejiang Province, China.

Telephone Number
 +86 177 8729 9186
 +86 138 6762 7459

Bangladesh Office
 House-138 (5th Floor),
 Road-01,
 Baridhara DOHS, Dhaka-1206,
 Bangladesh

Email Address
info@adinaindustries.com
asifbeg@adinaindustries.com
eric@adinaindustries.com

